

In the Claims

1. (Original) A thermoplastic resin composition comprising the following components:
 - (A) from 20 to 79.5 parts by weight of a polyamide resin;
 - (B) from 20 to 79.5 parts by weight of a graft polymer,
said graft polymer being obtained by,
 - (a) in the presence of from 40 to 80 wt% of a rubber-like polymer having a swell index of 10 to 80 and a weight average particle diameter of 100 to 600 nm,
 - (b) graft-polymerizing from 20 to 60 wt% of a monomer mixture comprising:
 - (i) from 50 to 90 wt% of an aromatic vinyl-based monomer,
 - (ii) from 10 to 50 wt% of a vinyl cyanide-based monomer, and
 - (iii) from 0 to 30 wt% of another vinyl monomer copolymerizable with those monomers,
 - in which the acetone-soluble moiety of the graft polymer has a number average molecular weight of 20,000 to 200,000;
 - (C) from 0.5 to 60 parts by weight of an unsaturated carboxylic acid-modified polymer,
said unsaturated carboxylic acid-modified polymer being obtained by copolymerizing from 0.05 to 20 wt% of an unsaturated carboxylic acid monomer, from 50 to 89.95 wt% of an aromatic vinyl-based monomer and from 10 to 49.95 wt% of a vinyl cyanide-based monomer, and having a number average molecular weight of 22,000 to 60,000; and
 - (D) from 0 to 50 parts by weight of a copolymer,
said copolymer being obtained by copolymerizing from 50 to 90 wt% of an aromatic vinyl monomer, from 10 to 50 wt% of a vinyl cyanide-based monomer and from 0 to 60 wt% of another vinyl-based monomer copolymerizable with those monomers;

with the proviso that the total amount of the components (A) to (D) is 100 parts by weight.

2. (Original) A thermoplastic resin composition comprising the following components:

(A) from 20 to 79.5 parts by weight of a polyamide resin;

(B) from 20 to 79.5 parts by weight of a graft polymer,

said graft polymer being obtained by,

(a) in the presence of from 40 to 80 wt% of a rubber-like polymer having a swell index of 10 to 80 and a weight average particle diameter of 100 to 600 nm,

(b) graft-polymerizing from 20 to 60 wt% of a monomer mixture comprising:

(i) from 50 to 90 wt% of an aromatic vinyl-based monomer,

(ii) from 10 to 50 wt% of a vinyl cyanide-based monomer, and

(iii) from 0 to 30 wt% of another vinyl monomer copolymerizable with those monomers,

in which the acetone-soluble moiety of the graft polymer has a number average molecular weight of 20,000 to 200,000;

(C) from 0.5 to 60 parts by weight of an unsaturated carboxylic acid-modified polymer,

said unsaturated carboxylic acid-modified polymer being obtained by copolymerizing from 0.05 to 20 wt% of an unsaturated carboxylic acid monomer, from 50 to 89.95 wt% of an aromatic vinyl-based monomer and from 10 to 49.95 wt% of a vinyl cyanide-based monomer, and having a number average molecular weight of 22,000 to 60,000;

(D) from 0 to 50 parts by weight of a copolymer,

said copolymer being obtained by copolymerizing from 50 to 90 wt% of an aromatic vinyl monomer, from 10 to 50 wt% of a vinyl cyanide-based monomer and from 0 to 60 wt% of another vinyl-based monomer copolymerizable with those monomers;

with the proviso that the total amount of the components (A) to (D) is 100 parts by weight;
and

(E) from 0.05 to 150 parts by weight of an inorganic filler.

3. (Original) The thermoplastic resin composition as claimed in claim 2, wherein the number average molecular weight of the polyamide resin is from 10,000 to 20,000.

4. (Currently Amended) The thermoplastic resin composition as claimed in ~~any one of~~ claims 1 ~~to~~ 3, wherein the graft polymer is obtained by graft-polymerizing styrene and acrylonitrile in the presence of a rubber-like polymer.

5. (Currently Amended) The thermoplastic resin composition as claimed in ~~any one of~~ claims 1 ~~to~~ 4, wherein the amount of the unsaturated carboxylic acid monomer in the unsaturated carboxylic acid-modified copolymer is from 0.5 to 10 wt%.

6. (Currently Amended) The thermoplastic resin composition as claimed in ~~any one of~~ claims 1 ~~to~~ 4, wherein the amount of the unsaturated carboxylic acid monomer in the unsaturated carboxylic acid-modified copolymer is from 0.8 to 7 wt%.

7. (Currently Amended) The thermoplastic resin composition as claimed in ~~any one of~~ claims 1 ~~to~~ 6, wherein the unsaturated carboxylic acid in the unsaturated carboxylic acid-modified copolymer is methacrylic acid.

8. (Currently Amended) The thermoplastic resin composition as claimed in ~~any one of~~ claims 1 ~~to~~ 7, wherein the unsaturated carboxylic acid-modified copolymer is obtained by copolymerizing methacrylic acid, styrene and acrylonitrile.

9. (Currently Amended) The thermoplastic resin composition as claimed in ~~any one of~~ claims 1 ~~to~~ 8, which comprises a rubber-like polymer in the range from 8 to 40 wt%.

10. (Currently Amended) The thermoplastic resin composition as claimed in ~~any one of~~ claims 1 ~~to~~ 8, which comprises a rubber-like polymer in the range from 10 to 25 wt%.

11. (Currently Amended) The thermoplastic resin composition as claimed in ~~any one of~~ claims 2 ~~to~~ 10, wherein the inorganic filler is a layered silicate with one unit having a one-side length of 0.002 to 1 gm and a thickness of 6 to 20 Å.

12. (Currently Amended) A shaped article comprising the thermoplastic resin composition claimed in ~~any one of~~ claims 1 ~~to~~ 11.

13. (Currently Amended) An automobile part obtained by shaping the thermoplastic resin composition claimed in ~~any one of~~ claims 1 ~~to~~ 11.

14. (New) The thermoplastic resin composition as claimed in claim 2, wherein the graft polymer is obtained by graft-polymerizing styrene and acrylonitrile in the presence of a rubber-like polymer.

15. (New) The thermoplastic resin composition as claimed in claim 2, wherein the amount of the unsaturated carboxylic acid monomer in the unsaturated carboxylic acid-modified copolymer is from 0.5 to 10 wt%.

16. (New) The thermoplastic resin composition as claimed in claim 2, wherein the amount of the unsaturated carboxylic acid monomer in the unsaturated carboxylic acid-modified copolymer is from 0.8 to 7 wt%.

17. (New) The thermoplastic resin composition as claimed in claim 2, wherein the unsaturated carboxylic acid in the unsaturated carboxylic acid-modified copolymer is methacrylic acid.

18. (New) The thermoplastic resin composition as claimed in claim 2, wherein the unsaturated carboxylic acid-modified copolymer is obtained by copolymerizing methacrylic acid, styrene and acrylonitrile.

19. (New) The thermoplastic resin composition as claimed in claim 2, which comprises a rubber-like polymer in the range from 8 to 40 wt%.

20. (New) The thermoplastic resin composition as claimed in claim 2, which comprises a rubber-like polymer in the range from 10 to 25 wt%.

21. (New) A shaped article comprising the thermoplastic resin composition claimed in claim 2.

22. (New) An automobile part obtained by shaping the thermoplastic resin composition claimed in claim 2.